



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/557,736	04/25/2000	Heng Liao	016491-002610US	9933
20350 7	590 08/27/2003			
TOWNSEND AND TOWNSEND AND CREW, LLP TWO EMBARCADERO CENTER EIGHTH FLOOR			EXAMINER	
			EL CHANTI, HUSSEIN A	
SAN FRANCI	SAN FRANCISCO, CA 94111-3834		ART UNIT	PAPER NUMBER
			2157	
			DATE MAILED: 08/27/2003	フ

Please find below and/or attached an Office communication concerning this application or proceeding.

		PRE			
	Application No.	Applicant(s)			
Comment Andrew Comment	09/557,736	LIAO, HENG			
Office Action Summary	Examiner	Art Unit			
	Hussein A El-chanti	2157			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).  Status	36(a). In no event, however, may a reply be timer within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
1) Responsive to communication(s) filed on 25 A	April 2000 .				
2a) This action is <b>FINAL</b> . 2b) ⊠ Thi	is action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims  A) Claim(a) 1.20 in/ore pending in the application					
4) Claim(s) <u>1-30</u> is/are pending in the application					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-30</u> is/are rejected. 7)□ Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or	r election requirement.				
Application Papers					
9) The specification is objected to by the Examiner	r.				
10) The drawing(s) filed on is/are: a) accep	oted or b) objected to by the Exa	miner.			
Applicant may not request that any objection to the	e drawing(s) be held in abeyance. S	ee 37 CFR 1.85(a).			
11) The proposed drawing correction filed on	_is: a)☐ approved b)☐ disappro	oved by the Examiner.			
If approved, corrected drawings are required in reply to this Office action.					
12)☐ The oath or declaration is objected to by the Ex	aminer.	a de la companya de			
Priority under 35 U.S.C. §§ 119 and 120					
13) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a	ı)-(d) or (f).			
a) ☐ All b) ☐ Some * c) ☐ None of:					
<ol> <li>Certified copies of the priority documents have been received.</li> </ol>					
2. Certified copies of the priority documents have been received in Application No					
<ul><li>3. Copies of the certified copies of the prior application from the International But</li><li>* See the attached detailed Office action for a list</li></ul>	reau (PCT Rule 17.2(a)).	-			
14) Acknowledgment is made of a claim for domestic	c priority under 35 U.S.C. § 119(	e) (to a provisional application).			
<ul> <li>a) ☐ The translation of the foreign language provisional application has been received.</li> <li>15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.</li> </ul>					
Attachment(s)					
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449) Paper No(s) 2.</li> </ol>	5) Notice of Informal	y (PTO-413) Paper No(s) Patent Application (PTO-152)			

Art Unit: 2157

#### **DETAILED ACTION**

1. This action is responsive to application filed on April 25, 2000. Claims 1-30 are pending examination.

### Specification

2. The disclosure is objected to because of the following informalities: the third line of page 1 of the application doesn't state the application number and line 13 of page 3 of the application doesn't state the co-pending application number,

Appropriate correction is required.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claim 1 is rejected under 35 U.S.C. 102(e) as being anticipated by Riddle et al., U.S. Patent No. 6,457,051 (referred to hereafter as Riddle).

Riddle teaches the invention as claimed including a system for protocol processing in a computer network (see abstract).

As to claim 1, Riddle teaches a method for identifying protocol encapsulation in received network data comprising providing a grammar and parsing incoming network data using said grammar, said network data being organized into data packets (see col.

Page 2

Art Unit: 2157

13 lines 57-67 and claim 1, where the grammar is the rules of matching the data packets to a traffic specification).

### Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Riddle in view of Del Monte, U.S. Patent No. 5,704,060.

As to claim 2, Riddle teaches a method for identifying protocol encapsulation in received network data comprising providing a grammar and parsing incoming network data using said grammar, said network data being organized into data packets (see the rejection of claim 1) wherein said grammar is a grammar graph (see claim 3, tree type node being the grammar graph). Riddle doesn't teach the method of claim 1 wherein the method further including providing a deterministic finite automaton (DFA) representing said grammar graph.

However, Del Monte teaches providing a deterministic finite automaton (DFA) representing grammar graph (see col. 14lines 21-31).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify Riddle in view of including a DFA representing said grammar graph as in Del Monte. One would be motivated to include a DFA in Riddle because

Art Unit: 2157

doing so would allow the network to map an ordered sequence of input events into a corresponding sequence according to the control section of the data where the next state is uniquely determined by a single input event.

5. Claims 3, 4, 6-8 and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Riddle in view of Tang, U.S. Patent No. 6,378,126.

As to claim 3, Riddle teaches a method for identifying protocol encapsulation in received network data comprising providing a grammar and parsing incoming network data using said grammar, said network data being organized into data packets (see the rejection of claim 1.

Riddle doesn't teach the method of claim 1 further including scanning said incoming network data using lexical token scanning to produce plural lexical tokens.

However Tang teaches scanning said incoming network data using lexical token scanning to produce plural lexical tokens and parsing said lexical tokens (see abstract, statements in a program are lexically scanned and parsed into a parse tree).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify Riddle in view of lexically scanning incoming data packets and parsing the lexical tokens as in Tang. One would be motivated to include lexical scanning of packets and parsing lexical tokens in Riddle because doing so would allow the processor to read the specific lexical token relating to the control protocol layer that the instruction belongs to rather than reading the whole instruction or packet and thus creating faster communications medium and faster data routing.

Art Unit: 2157

As to claim 4, Tang also teaches lexical scanning includes providing a set of regular expressions (see abstract).

As to claim 6, Riddle teaches a method for processing data packets comprising:

providing a grammar (see claim 1, where the grammar is the rules of
matching the data packets to a traffic specification).;

receiving plural data packets, each having a length not necessarily equal to one another (see claim 1); and

parsing data to produce one or more identified protocols, and processing said data packet based on said identified protocols (see fig. 4A and its corresponding illustration).

Riddle doesn't teach the limitation "lexically scanning data packet to produce lexical tokens". However Tang teaches lexically scanning data packet to produce lexical tokens (see abstract, statements in a program are lexically scanned and parsed into a parse tree).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify Riddle in view of lexically scanning incoming data packets and parsing the lexical tokens as in Tang. One would be motivated to include lexical scanning of packets and parsing lexical tokens in Riddle because doing so would allow the processor to read the specific lexical token relating to the control protocol layer that the instruction belongs to rather than reading the whole instruction or packet and thus creating faster communications medium and faster data routing.

Art Unit: 2157

As to claim 7, Riddle teaches the method of claim 6 further including compiling said grammar to produce grammar graph (see claim 3).

As to claim 8, Riddle teaches the method of claim 7 wherein said scanning includes providing regular expressions for identifying said lexical tokens (see Table. 3 in col. 15).

As to claim 27, Riddle teaches a network packet classifier comprising:

means for receiving an incoming network packet (see fig. 1 and its corresponding illustration); and

means for identifying protocol structure in said network packet including means for scanning to match patterns in its constituent data against plural regular expressions and means for parsing through said lexical tokens using a grammar (see claim 1 and Table. 3 included in col. 15).

Riddle doesn't teach the method of claim 1 further including scanning said incoming network data using lexical token scanning to produce plural lexical tokens.

However Tang teaches scanning said incoming network data using lexical token scanning to produce plural lexical tokens and parsing said lexical tokens (see abstract, statements in a program are lexically scanned and parsed into a parse tree).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify Riddle in view of lexically scanning incoming data packets and parsing the lexical tokens as in Tang. One would be motivated to include lexical scanning of packets and parsing lexical tokens in Riddle because doing so would allow the processor to read the specific lexical token relating to the control protocol layer that

Art Unit: 2157

the instruction belongs to rather than reading the whole instruction or packet and thus creating faster communications medium and faster data routing.

6. Claims 5, 9, 10, 18, 22, 23, 28 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Riddle in view of Tang in further view of Del Monte.

As to claims 5, 9 and 10, Riddle and Tang do not teach the limitation "providing a DFA including a representation of said lexical tokens and said grammar".

However, Del Monte teaches providing a deterministic finite automaton (DFA) representing grammar (see col. 14 lines 21-31).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify Riddle in view of including a DFA as in Del Monte including a representation of said lexical tokens as in Tang. One would be motivated to include a DFA including recognizing the lexical tokens using the DFA in Riddle because doing so would allow the DFA to determine the protocol in which the packet is to be implemented and map an ordered sequence of input events into a corresponding sequence according to the control section of the data where the next state is uniquely determined by a single input event.

As to claim 18, Riddle teaches a network data packet classifier comprising an input port for receiving network data packets comprising a stream of data (see fig. 1 and abstract), a grammar graph and plural regular expressions (see col. 14 line 21-31 and claim 1), identify a protocol structure in a received network data packet wherein processing of said network data depends on said protocol structure (see fig. 4A and its corresponding illustration.

Art Unit: 2157

Riddle doesn't teach the limitation "representing said grammar graph and decompression logic producing lexical tokens".

However Tang teaches scanning said incoming network data using lexical token scanning to produce plural lexical tokens and parsing said lexical tokens (see abstract, statements in a program are lexically scanned and parsed into a parse tree) and Del Monte teaches providing a deterministic finite automaton (DFA) representing grammar graph (see col. 14lines 21-31) and teaches decompression logic configured to scan data with said DFA (see col. 1).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify Riddle in view of decompression logic configured to scan data with DFA as in Del Monte and parsing lexical tokens as in Tang. One would be motivated modify Riddle by using a DFA and a decompression logic and parsing lexical tokens because doing so would allow the network to map an ordered sequence of input events into a corresponding sequence by scanning the lexical tokens according to the control section of the data where the next state is uniquely determined by a single input event.

As to claim 22, Riddle teaches network data vary from one packet to another (see abstract and claim 1).

As to claim 23, Del Monte teaches DFA is in compressed form (see col. 2 lines 42-56

Art Unit: 2157

As to claim 28, Del Monte teaches means for scanning includes a memory component configured with data to represent a deterministic finite automaton (DFA) (see fig. 1 and its corresponding illustration and col. 14 lines 21-31)

As to claim 29, Riddle teaches memory component is configured to include said grammar (see fig. 1A and its corresponding illustration).

7. Claims 15 and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Riddle in view of Tang in further view of Boucher et al., U.S. Patent No. 6,226,680 (referred to hereafter as Boucher).

Riddle and Tang do not teach the limitation "arithmetic logic unit configured to perform operations in accordance with arithmetic specifier". However Boucher teaches method of protocol processing including an arithmetic logic unit configured to perform operations in accordance with arithmetic specifiers (see fig. 14 and its corresponding illustration).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify the combined teachings of Riddle and Tang in view of using an arithmetic and logic unit to perform operations as in Boucher. One would be motivated to include an arithmetic logic unit in Riddle because doing so would allow faster classification of data packets since the processing and determination of the data packets properties are done by the arithmetic logic unit rather than being done by the network processor that might have an overload due to the traffic coming in and out of the network.

Art Unit: 2157

8. Claims 16 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Riddle in view of Tang, in view of Del Monte further in view of Moreno.

As to claim 16, Riddle and Tang teach a method for classifying received network data comprising scanning incoming data using lexical token scanning wherein said network data is treated as a stream of input bytes, said network data being organized into data packets, said scanning resulting in the identification of a data packet belonging to one of a plurality of classes.

Riddle and Tang do not teach the limitation "some of said states further include a skip instruction". However Moreno teaches a skip instruction (see claims 7 and 8).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify Riddle in view of identifying a skip operation and in response thereto skipping over one or more subsequent input bytes as in Moreno. One would be motivated to modify Riddle in view of identifying a skip operation and in response thereto skipping over one or more subsequent input bytes because doing so would allow the processor to detect an error in the stream of incoming data and skip to the next data stream by detecting address of the beginning of the next incoming data packet.

As to claim 17, Riddle teaches regular expressions include data storage operations (see col. 13 lines 48-56).

9. Claims 19, 20, 24-26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Riddle in view of Tang in view of Del Monte, further in view of Boucher.

Art Unit: 2157

Riddle, Tang and Del Monte do not teach the limitation "arithmetic logic unit configured to perform operations in accordance with arithmetic specifier". However Boucher teaches method of protocol processing including an arithmetic logic unit configured to perform operations in accordance with arithmetic specifiers (see fig. 14 and its corresponding illustration).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify the combined teachings of Riddle and Tang in view of using an arithmetic and logic unit to perform operations as in Boucher. One would be motivated to include an arithmetic logic unit in Riddle because doing so would allow faster classification of data packets since the processing and determination of the data packets properties are done by the arithmetic logic unit rather than being done by the network processor that might have an overload due to the traffic coming in and out of the network.

As to claim 20, Boucher teaches at least one register operatively coupled to said arithmetic logic unit where arithmetic logic unit further configured to store data into said register in response to save instruction (see fig. 14 and its corresponding illustration).

As to claim 24, Boucher teaches a base memory, next state memory and base memory configured to contain address locations of said next state memory (see fig. 15A-C).

As to claim 25, Boucher teaches memories are random access memories (see fig. 15A).

Art Unit: 2157

As to claim 26, Boucher teaches said memories are read-only memories (see fig. 13 and its corresponding illustration).

**10.** Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Riddle in view of Tang, in view of Del Monte in view of Boucher further in view of Moreno.

Riddle does not teach the limitation "some of said states further include a skip instruction". However Moreno teaches a skip instruction to skip over an amount of data (see claims 7 and 8).

It would have been obvious for one of the ordinary skill in the art at the time of the invention to modify Riddle in view of identifying a skip operation and in response thereto skipping over one or more subsequent input bytes as in Moreno. One would be motivated to modify Riddle in view of identifying a skip operation and in response thereto skipping over one or more subsequent input bytes because doing so would allow the processor to detect an error in the stream of incoming data and skip to the next data stream by detecting address of the beginning of the next incoming data packet.

Claims 11-14 do not add any new limitations above claims 1-13 and therefore are rejected for similar reasons.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hussein El-chanti whose telephone number is (703) 305-4652. The examiner can normally be reached on Monday through Thursday from 8:00 am. – 5:00 p.m.

Art Unit: 2157

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (703)308-7562. The fax phone numbers for the organization where this application or proceeding is assigned are (703)746-9679 for regular communications and (703)746-9679 for After Final communications.

Any inquiry of a general nature relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Hussein El-chanti Fax#	(703) 746-9679
After Final Rejection Fax #	(703) 746-7238
Official Fax #	(703) 746-7239
Customer Service Fax #	(703) 746-7240

Hussein El-chanti

Date: 8/21/2003

ARIO ETIENNE

REPERVISCHY PATENT EXAMINER

RECHNOLOGY CENTER 2100